INDEX TO AUTHORS

A

ACTON, A. B. An unusual ciliumlike process, 366
AMES, ADELBERT, 3RD. See BULLIVANT and AMES, 435
AMSTERDAM, ABRAHAM, and SCHRAMM, MICHAEL. Rapid release of the zymogen granule protein by osmium tetroxide and its retention during fixation by glutaraldehyde, 199
ASH, K. OWEN, BRANSFORD, J. E., and KOCH, R. B. Studies on dispersion of rabbit olfactory cells, 554

B

BAHR, GUNTER F. See GLAS and BAHR, 507
BARRNETT, RUSSELL J. See BLOOM and BARRNETT, 475
BERRIDGE, MICHAEL J. See GUPTA and BERRIDGE, 376
BIEMPICA, LUIS. Human hepatic microbodies with crystalloid cores, 383
BIRGE, WESLEY J. See DOOLIN and BIRGE, 333
BLOOM, FLOYD E., and BARRNETT, RUSSELL J. Fine structural localization of acetylcholinesterase in electroplaque of the electric eel, 475
BOLLUM, F. J. See VON BORSTEL, PRESCOTT, and BOLLUM, 21
VON BORSTEL, R. C., PRESCOTT, D. M., and BOLLUM, F. J. Incorporation of nucleotides into nuclei of fixed cells by DNA polymerase, 21
BRANSFORD, J. E. See ASH, BRANSFORD, and KOCH, 554
BRYANT, B. J. The incorporation of tritium from thymidine into proteins of the mouse, 29
BRYNJOLFSSON, G. See STEIN, RICHTER, ZUSSMAN, and BRYNJOLFSSON, 168
BULLIVANT, STANLEY, and AMES, ADELBERT, 3RD. A simple freeze-fracture replication method for electron microscopy, 435

C

CARAFOLI, ERNESTO. See GREENAWALT and CARAFOLI, 37
CAVE, MAC DONALD. Incorporation of tritium-labeled thymidine and lysine into chromosomes of cultured human leukocytes, 209
CONTI, S. F. See GANTT and CONTI, 423
COOK, J. R. The synthesis of cytoplasmic DNA in synchronized *Euglena*, 369
COX, RODY P. See GRIFFIN and COX, 1

D

DANIEL, WENDELL A. See MATTERN and DANIEL, 547, 552
DOLIVO, M. See NICOLESCU, DOLIVO, ROUILLER, and FOROGLOU-KERAMEUS, 267
DOOLIN, PAUL F., and BIRGE, WESLEY J. Ultrastructural organization of cilia and basal bodies of the epithelium of the choroid plexus in the chick embryo, 333
DUVALL, ARNDT J., 3RD, FLOCK, ÅKE, and WERSÄLL, JAN. The ultrastructure of the sensory hairs and associated organelles of the cochlear inner hair cell, with reference to directional sensitivity, 497

E

ELLEM, KAY A. O. See STUDZINSKI and ELLEM, 411

F

FAHIMI, H. DARIUSH, and KARNOVSKY, MORRIS J. Cytochemical localization of two glycolytic dehydrogenases in white skeletal muscle, 113
FEDORKO, MARTHA E., and HIRSCH, JAMES G. Cytoplasmic granule formation in myelocytes. An electron microscope radioautographic study on the mechanism of formation of cytoplasmic granules in rabbit heterophilic myelocytes, 307
FLOCK, ÅKE. See DUVALL, FLOCK, and WERSÄLL, 497
FOROGLOU-KERAMEUS, C. See NICOLESCU, DOLIVO, ROUILLER, and FOROGLOU-KERAMEUS, 267
FORSCHIRM, REGINA. See NOVIKOFF, QUINTANA, VILLAVERDE, and FORSCHIRM, 525
FRIEND, DANIEL S. The fine structure of *Giardia muris*, 317

G

GABRUSEWYCZ-GARCIA, NATALIA, and KLEINFELD, RUTH G. A study of the nucleolar material in *Sciara coprophila*, 347
GALL, JOSEPH. See MIZUKAMI and GALL, 97
GANTT, E., and CONTI, S. F. Granules associated with the chloroplast lamellae of *Porphyridium cruentum*, 423
GLAS, ULLA, and BAHR, GUNTER F. Quantitative study of mitochondria in rat liver. Dry mass, wet mass, volume, and concentration of solids, 507
GREENAWALT, JOHN W., and CARAFOLI, ERNESTO. Electron microscope studies on the active accumulation of Sr^{++} by rat-liver mitochondria, 37
GRIFFIN, MARTIN J., and COX, RODY P. Studies on the mechanism of hormonal induction of alkaline phosphatase in human cell cultures. I. Effects of puromycin and Actinomycin D, 1

GUPTA, BRIJ L., and BERRIDGE, MICHAEL J. A coat of repeating subunits on the cytoplasmic surface of the plasma membrane in the rectal papillae of the blowfly, *Calliphora erythrocephala* (Meig.), studied in situ by electron microscopy, 376

H

HAYEK, DEAN H., and TIPTON, SAMUEL R. Respiratory activity and maintenance of cell suspensions of rat liver, 405

HEYN, A. N. J. The microcrystalline structure of cellulose in cell walls of cotton, ramie, and jute fibers as revealed by negative staining of sections, 181

HICKS, R. MARIAN. See HOLT and HICKS, 361

HIRAMOTO, YUKIO. See TILNEY, HIRAMOTO, and MARSLAND, 77

HIRSCH, JAMES G. See FEDORKO and HIRSCH, 307

HOLT, S. J., and HICKS, R. MARIAN. The importance of osmiophilia in the production of stable azo-indoxyl complexes of high contrast for combined enzyme cytochemistry and electron microscopy, 361

HYMER, W. C. See KUFF, HYMER, SHELTON, and ROBERTS, 63

K

KARNOVSKY, MORRIS J. See FAHIMI and KARNOVSKY, 113

KLEINFELD, RUTH G. See GABRUSEWYCZ-GARCIA and KLEINFELD, 347

KOCH, R. B. See ASH, BRANSFORD, and KOCH, 554

KUFF, E. L., HYMER, W. C., SHELTON, E., and ROBERTS, N. E. The in vivo protein synthetic activities of free versus membrane-bound ribonucleoprotein in a plasma-cell tumor of the mouse, 63

KULKA, R. G., and YALOVSKY, U. Secretion of α-amylase by the embryonic chick pancreas in vitro, 287

L

LENTZ, THOMAS L. Intramitochondrial glycogen granules in digestive cells of *Hydra*, 162

LYMAN, HARVARD. See SHAH and LYMAN, 174

LYTLE, RALPH I. See MAISEL and LYTLE, 461

M

MAISEL, JOHN C., and LYTLE, RALPH I. Affinity of animal cell nucleoli for normal serum. Preliminary characterization of serum and cell components, 461

MARAK, J. See ROBINOW and MARAK, 129

MARSLAND, DOUGLAS. See TILNEY, HIRAMOTO, and MARSLAND, 77

MATTERN, CARL F. T., and DANIEL, WENDELL A. The flame cell of rotifer. Electron microscope observations of supporting rootlet structures, 552

— and —. The stomach cell of rotifer. Electron microscope observations of the terminal web, 547

MIZUKAMI, IKUKO, and GALL, JOSEPH. Centriole replication. II. Sperm formation in the fern, *Marsilea*, and the cycad, *Zamia*, 97

MOLLENHAUER, HILTON H., and MORRÉ, D. JAMES. Tubular connections between dictyosomes and forming secretory vesicles in plant Golgi apparatus, 373

MOOR, HANS. Ultrastrukturen im Zellkern der Bäckerhefe, 153

MORRÉ, D. JAMES. See MOLLENHAUER and MORRÉ, 373

N

NICOLESCU, P., DOLIVO, M., ROUILLER, C., and FOROGLOU-KERAMEUS, C. The effect of deprivation of glucose on the ultrastructure and function of the superior cervical ganglion of the rat in vitro, 267

NOVIKOFF, ALEX B., QUINTANA, NELSON, VILLAVERDE, HUMBERTO, and FORSCHIRM, REGINA. Nucleoside phosphatase and cholinesterase activities in dorsal root ganglia and peripheral nerve, 525

O

OVERTON, JANE. Microtubules and microfibrils in morphogenesis of the scale cells of *Ephestia kühniella*, 293

P

PADAWER, JACQUES. Induction of cellular movements in mast cells by colchicine treatment, 176

PAINTER, R. B. See RASMUSSEN and PAINTER, 11

PENN, RICHARD D. Ionic communication between liver cells, 171

PRESCOTT, D. M. See VON BORSTEL, PRESCOTT, and BOLLUM, 21

Q

QUINTANA, NELSON. See NOVIKOFF, QUINTANA, VILLAVERDE, and FORSCHIRM, 525

R

RASMUSSEN, R. E., and PAINTER, R. B. Radiation-stimulated DNA synthesis in cultured mammalian cells, 11

RICHTER, W. R. See STEIN, RICHTER, ZUSSMAN, and BRYNJOLFSSON, 168

ROBERTS, N. E. See KUFF, HYMER, SHELTON, and ROBERTS, 63

ROBINOW, C. F., and MARAK, J. A fiber apparatus in the nucleus of the yeast cell, 129

ROBISON, W. GERALD, JR. Microtubules in relation to the motility of a sperm syncytium in an armored scale insect, 251

ROTH, JAY S. See UTSUNOMIYA and ROTH, 387, 395

ROUILLER, C. See NICOLESCU, DOLIVO, ROUILLER, and FOROGLOU-KERAMEUS, 267

S

SCHRAMM, MICHAEL. See AMSTERDAM and SCHRAMM, 199

SHAH, VINOD C., and LYMAN, HARVARD. DNA-dependent RNA synthesis in chloroplasts of *Euglena gracilis*, 174
SHELTON, E. See KUFF, HYMER, SHELTON, and ROBERTS, 63
SHOUP, JANE REARICK. The development of pigment granules in the eyes of wild type and mutant *Drosophila melanogaster*, 223
SMITH, DAVID S. The structure of intersegmental muscle fibers in an insect, *Periplaneta americana* L., 449
STEIN, R. J., RICHTER, W. R., ZUSSMAN, R. A., and BRYNJOLFSSON, G. Ultrastructural characterization of *Daphnia* heart muscle, 168
STUDZINSKI, GEORGE P., and ELLEM, KAY A. O. Relationship between RNA synthesis, cell division, and morphology of mammalian cells. I. Puromycin aminonucleoside as an inhibitor of RNA synthesis and division in HeLa cells, 411

T

THAEMERT, J. C. Ultrastructure of cardiac muscle and nerve contiguities, 156
TILNEY, LEWIS G., HIRAMOTO, YUKIO, and MARSLAND, DOUGLAS. Studies on the microtubules in heliozoa. III. A pressure analysis of the role of these structures in the formation and maintenance of the axopodia of *Actinosphaerium nucleofilum* (Barrett), 77
TIPTON, SAMUEL R. See HAYEK and TIPTON, 405

U

UTSUNOMIYA, TAKESHI, and ROTH, JAY S. Studies on the function of intracellular ribonucleases. IV. Some observations on the properties of ribosomes and polysomes from rat liver and hepatomas, 387
— and —. —. V. Ribonuclease activity in ribosomes and polysomes prepared from rat liver and hepatomas, 395

V

VILLAVERDE, HUMBERTO. See NOVIKOFF, QUINTANA, VILLAVERDE, and FORSCHIRM, 525

W

WERSÄLL, JAN. See DUVALL, FLOCK, and WERSÄLL, 497

Y

YALOVSKY, U. See KULKA and YALOVSKY, 287

Z

ZUSSMAN, R. A. See STEIN, RICHTER, ZUSSMAN, and BRYNJOLFSSON, 168

A

Acetylcholinesterase, in electroplaque of eel *Electrophorus electricus*, fine structural localization of, comparison of several cytochemical methods, EM cytochemical study, 475
Actinomycin D and puromycin, effects of on mechanism of hormonal induction of alkaline phosphatase in HeLa cell cultures, biochemical study, 1
Alga, red, *Porphyridium cruentum*, granules associated with chloroplast lamellae, EM and biochemical study, 423
Alkaline phosphatase, mechanism of hormonal induction of in HeLa cell cultures, effects of puromycin and Actinomycin D, biochemical study, 1
Amylase secretion in vitro, in embryonic chick pancreas, development of secretory apparatus, biochemical study, 287
Axopodia, in *Actinosphaerium nucleofilum* (Heliozoa), role of microtubules in formation and maintenance of, analysis of effects during and after exposure to high pressures, EM study, 77
Azoindoxyl complexes of high contrast, importance of osmiophilia in production of, for combined enzyme cytochemistry and electron microscopy, EM cytochemical study, 361

B

Basal bodies and cilia, in epithelium of choroid plexus of chick embryo, ultrastructural organization of, EM study, 333
Blepharoplast fragmentation in centriole replication, in sperm formation, of fern *Marsilea* and cycad *Zamia*, EM study, 97

C

Cell communication, ionic, in mouse liver, electrophysiological study, 171
— division and RNA synthesis, in HeLa cells, puromycin aminonucleoside as inhibitor of, biochemical study, 411
— motility, microtubules in relation to, of sperm syncytium in armored scale insect *Parlatoria oleae*, EM study, 251
— movement, induction of by colchicine treatment, in rat mast cells, studied by time-lapse cinematography, 176
— suspensions from olfactory epithelium, of rabbit, method for obtaining, 554
— suspensions, of rat liver, respiratory activity and maintenance of in different media, biochemical study, 405
Cells, animal, cultured, affinity of nucleoli of for normal serum, characterization of serum and cell components, biochemical study, 461
—, fixed, incorporation of nucleotides into nuclei of by DNA polymerase, method for detection of priming and/or nonpriming DNA, radioautographic study, 21
Cellulose, in cell walls of fibers of cotton and ramie and jute, microcrystalline structure of, as revealed by negative staining of sections, EM study, 181
Centriole replication by fragmentation of blepharoplasts, in sperm formation, of fern *Marsilea* and cycad *Zamia*, EM study, 97
Chick, embryo, secretion of α-amylase by exocrine pancreas in vitro, development of secretory apparatus, biochemical study, 287
—, embryo, ultrastructural organization of cilia and basal bodies in epithelium of choroid plexus, EM study, 333
Chloroplast lamellae, in red alga *Porphyridium cruentum*, characterization of granules associated with, EM and biochemical study, 423
Chloroplastic DNA synthesis, in synchronized populations of *Euglena gracilis*, analysis of time course by following rate of incorporation of tritiated precursor at different stages of life cycle, biochemical study, 369
Chloroplasts, in protozoa *Euglena gracilis*, DNA-dependent RNA synthesis in, biochemical study, 174
Cholinesterase and nucleoside phosphatase activities, localization of in dorsal root ganglion and peripheral nerve, of rat and other species, light and EM cytochemical study, 525
Choroid plexus, in chick embryo, ultrastructural organization of cilia and basal bodies in epithelium of, EM study, 333
Chromosomal DNA and protein, temporal relationships between syntheses of, incorporation of thymidine-H^3 and lysine-H^3 into chromosomes of cultured human leukocytes, radioautographic study, 209
Chromosomes, polytene, in larval *Sciara coprophila* salivary gland, mapping of nucleolar sites on, analysis of chromosomal RNA metabolism, cytochemical and radioautographic study, 347
Cilia and basal bodies, in epithelium of choroid plexus of chick embryo, ultrastructural organization of, EM study, 333
Ciliumlike process, unusual structure occurring among sperm tails in seminal receptacles of inseminated female flies, EM study, 366
Cochlear inner hair cell, ultrastructure of sensory

hairs and associated organelles of, with reference to directional sensitivity, in guinea pig, EM study, 497
Colchicine, activating effect of on cellular movement, in rat mast cells, studied by time-lapse cinematography, 176
Crystalloid cores in microbodies, occurrence of in hepatocytes of human liver, EM study, 383
Cytochemical methods for fine structural localization of acetylcholinesterase, comparison of, in electroplaque of eel *Electrophorus electricus*, EM cytochemical study, 475

D

Daphnia pulex, ultrastructural characterization of heart muscle of, EM study, 168
Dehydrogenases, two glycolytic, localization of in white skeletal muscle (adductor magnus), of rabbit, EM cytochemical study, 113
Dictyosomes and forming secretory vesicles in Golgi apparatus, of plant cells, tubular connections between, EM study, 373
Digestive tract, of *Hydra littoralis*, intramitochondrial glycogen granules in cells of, EM study, 162
DNA, cytoplasmic, synthesis of in synchronized populations of *Euglena gracilis*, analysis of time course by following rate of incorporation of tritiated precursor at different stages of life cycle, biochemical study, 369
— polymerase, incorporation of nucleotides into nuclei of fixed cells by, method for detection of priming and/or nonpriming DNA, radioautographic study, 21
—, priming and/or nonpriming, method for detection of, incorporation of nucleotides into nuclei of fixed cells by DNA polymerase, radioautographic study, 21
— and protein, chromosomal, temporal relationships between syntheses of, incorporation of thymidine-H^3 and lysine-H^3 into chromosomes of cultured human leukocytes, radioautographic study, 209
— synthesis, radiation-stimulated (UV and X-ray), in mammalian cell cultures, studied by radioautography and density gradient centrifugation, 11
DNA-dependent RNA synthesis, in chloroplasts of protozoa *Euglena gracilis*, biochemical study, 174

E

Electron microscopy and enzyme cytochemistry, importance of osmiophilia in production of stable azoindoxyl complexes of high contrast for, EM cytochemical study, 361
— microscopy, simple freeze-fracture replication method for, demonstrated with mouse intestine, 435
Electroplaque, of eel *Electrophorus electricus*, fine structural localization of acetylcholinesterase in, comparison of several cytochemical methods, EM cytochemical study, 475
Embryonic chick, secretion of α-amylase by exocrine pancreas in vitro, development of secretory apparatus, biochemical study, 287
Enzyme cytochemistry and electron microscopy, importance of osmiophilia in production of stable azoindoxyl complexes of high contrast for, EM cytochemical study, 361
Epithelium, columnar, of rectal papillae of blowfly *Calliphora erythrocephala*, coat of repeating subunits on cytoplasmic surface of apical plasma membrane in, EM study, 376
—, of choroid plexus, in chick embryo, ultrastructural organization of cilia and basal bodies in, EM study, 333
—, olfactory, of rabbit, method for obtaining cell suspensions from, 554
Eyes, of wild type and mutant *Drosophila melanogaster*, development of pigment granules in, fine structural analysis of genetic mutations, EM study, 223

F

Fiber apparatus, intranuclear, in yeast *Saccharomyces*, structure and mode of division of nucleus, studied by phase, light, and electron microscopy, 129
—, of intersegmental muscles, of cockroach *Periplaneta americana*, structure of, EM study, 449
Fibers, intranuclear, in yeast *Saccharomyces*, existence of, ultrastructure of nucleus during division, EM study, 153
—, of cotton and ramie and jute, microcrystalline structure of cellulose in cell walls of, as revealed by negative staining of sections, EM study, 181
Fish, eel *Electrophorus electricus*, fine structural localization of acetylcholinesterase in electroplaque of, comparison of several cytochemical methods, EM cytochemical study, 475
Fixation, differential effects of on zymogen granules, isolated from rat parotid and pancreas, rapid release of protein by OsO_4 and its retention with glutaraldehyde, biochemical and EM study, 199
Flame cell, of rotifer *Philodina*, fine structure of supporting rootlet structures of, EM study, 552
Freeze-fracture replication for electron microscopy, simple method of, demonstrated with mouse intestine, 435
Frog, cardiac muscle, contiguities between muscle cells and two types of vesiculated nerve processes, EM study with serial sections, 156

G

Ganglion, dorsal root, and peripheral nerve, of rat and other species, localization of nucleoside phosphatase and cholinesterase activities in, light and EM cytochemical study, 525
—, superior cervical sympathetic, of rat, effect of glucose deprivation on ultrastructure and function in vitro, electrophysiological and EM study, 267
Genetic mutations in eye color, in *Drosophila melanogaster*, fine structural analysis of, development of pigment granules in eyes of wild-type and mutant flies, EM study, 223
Glucose deprivation, effect of on ultrastructure and function of superior cervical sympathetic ganglion

in vitro, of rat, electrophysiological and EM study, 267
Glycogen granules, intramitochondrial, in digestive cells of *Hydra littoralis*, EM study, 162
Golgi apparatus, of plant cells, tubular connections between dictyosomes and forming secretory vesicles of, EM study, 373
— complex, in heterophilic myelocytes, of rabbit, role of in the mechanism of formation of cytoplasmic granules, EM radioautographic study, 307
Granules associated with chloroplast lamellae, in red alga *Porphyridium cruentum*, EM and biochemical study, 423
—, cytoplasmic, in heterophilic myelocytes, of rabbit, mechanism of formation of, EM radioautographic study, 307
Guinea pig, ultrastructure of sensory hairs and associated organelles of cochlear inner hair cell, with reference to directional sensitivity, EM study, 497

H

Hair cell, inner, of cochlea, of guinea pig, ultrastructure of sensory hairs and associated organelles of, with reference to directional sensitivity, EM study, 497
Heart muscle, of *Daphnia pulex*, ultrastructural characterization of, EM study, 168
HeLa cells, relationship between RNA synthesis and cell division and morphology of, puromycin aminonucleoside as inhibitor of RNA synthesis and cell division, biochemical study, 411
Hepatomas and liver, of rat, properties of ribosome and polysome preparations from, function of intracellular ribonucleases, biochemical study, 387
— and liver, of rat, ribonuclease activity in ribosome and polysome preparations from, biochemical study, 395
Hormonal (steroid) induction of alkaline phosphatase, mechanism of, in HeLa cell cultures, effects of puromycin and Actinomycin D, biochemical study, 1
Human cell (HeLa) cultures, mechanism of hormonal induction of alkaline phosphatase in, effects of puromycin and Actinomycin D, biochemical study, 1
—, cultured leukocytes, incorporation of thymidine-H^3 and lysine-H^3 into chromosomes of, temporal relationships between syntheses of chromosomal DNA and protein, radioautographic study, 209
—, liver, occurrence of microbodies with crystalloid cores in hepatocytes of, EM study, 383
Hydra littoralis, intramitochondrial glycogen granules in digestive cells of, EM study, 162

I

Insect, armored scale *Parlatoria oleae*, microtubules in relation to motility of sperm syncytium in, EM study, 251
—, blowfly *Calliphora erythrocephala*, coat of repeating subunits on cytoplasmic surface of apical plasma membrane in rectal papillae of, EM study, 376
Insect, cockroach *Periplaneta americana*, structure of fibers in intersegmental muscles of, EM study, 449
—, *Drosophila melanogaster*, unusual ciliumlike process occurring among sperm tails in seminal receptacles of inseminated female flies, EM study, 366
—, *Drosophila melanogaster*, wild type and mutants, development of pigment granules in eyes of, fine structural analysis of genetic mutations, EM study, 223
—, *Ephestia kühniella*, microtubules and microfibrils in morphogenesis of scale cells of, EM study, 293
—, *Sciara coprophila*, salivary gland of larvae, mapping of nucleolar sites on polytene chromosomes, analysis of chromosomal RNA metabolism, cytochemical and radioautographic study, 347
Intestine, of mouse, demonstration of fine structure of, use of simple freeze-fracture replication method for electron microscopy, 435
Ionic communication between liver cells, of mouse, electrophysiological study, 171

K

Kidney cells, cultured, of monkey, affinity of nucleoli of for normal serum, characterization of serum and cell components, biochemical study, 461

L

Lamellae, of chloroplast, in red alga *Porphyridium cruentum*, characterization of granules associated with, EM and biochemical study, 423
Leukocytes, cultured, of human, incorporation of thymidine-H^3 and lysine-H^3 into chromosomes of, temporal relationships between syntheses of chromosomal DNA and protein, radioautographic study, 209
Liver and hepatomas, of rat, properties of ribosome and polysome preparations from, function of intracellular ribonucleases, biochemical study, 387
— and hepatomas, of rat, ribonuclease activity in ribosome and polysome preparations from, biochemical study, 395
—, of human, occurrence of microbodies with crystalloid cores in hepatocytes of, EM study, 383
—, of mouse, ionic communication between cells, electrophysiological study, 171
—, of rat, active accumulation of strontium ions by membranes of isolated mitochondria, biochemical and EM study, 37
—, of rat, quantitative study of mitochondria isolated from, determination of mitochondrial dry mass and wet mass and volume and concentration of solids, comparison of values obtained by multiple methodological approaches, 507
—, of rat, respiratory activity and maintenance of cell suspensions in different media, biochemical study, 405

M

Mammalian cell cultures, radiation-stimulated (UV and X-ray) DNA synthesis in, studied by

radioautography and density gradient centrifugation, 11
Mast cells, of rat, induction of cellular movements by colchicine treatment, studied by time-lapse cinematography, 176
Membranes, of mitochondria isolated from rat liver, active accumulation of strontium ions by, biochemical and EM study, 37
Microbodies with crystalloid cores, occurrence of in hepatocytes of human liver, EM study, 383
Microcrystalline structure of cellulose, in cell walls of fibers of cotton and ramie and jute, as revealed by negative staining of sections, EM study, 181
Microfibrils and microcrystalline structure of cellulose, in cell walls of fibers of cotton and ramie and jute, as revealed by negative staining of sections, EM study, 181
— and microtubules, in morphogenesis of scale cells of insect *Ephestia kühniella*, EM study, 293
Microtubules in relation to motility of sperm syncytium, in armored scale insect *Parlatoria oleae*, EM study, 251
— and microfibrils, in morphogenesis of scale cells of insect *Ephestia kühniella*, EM study, 293
—, role of in formation and maintenance of axopodia in *Actinosphaerium nucleofilum* (Heliozoa), analysis of effects during and after exposure to high pressures, EM study, 77
Mitochondria, in digestive cells of *Hydra littoralis*, glycogen granules in, EM study, 162
—, isolated from rat liver, quantitative study of, determination of mitochondrial dry mass and wet mass and volume and concentration of solids, comparison of values obtained by multiple methodological approaches, 567
—, isolated, of rat liver, active accumulation of strontium ions by membranes of, biochemical and EM study, 37
— and sarcoplasmic reticulum, of white skeletal muscle (adductor magnus), of rabbit, localization of two glycolytic dehydrogenases in, EM cytochemical study, 113
Mitotic (?) fiber apparatus, intranuclear, in yeast *Saccharomyces*, structure and mode of division of nucleus, studied by phase-contrast, light, and electron microscopy, 129
— (?) fibers, intranuclear, in yeast *Saccharomyces*, ultrastructure of nucleus during division, EM study, 153
Mouse, intestine, demonstration of fine structure of, use of simple freeze-fracture replication method for electron microscopy, 435
—, liver, ionic communication between cells, electrophysiological study, 171
—, plasma-cell tumor, in vivo protein synthetic activities of free versus membrane-bound ribonucleoprotein in, biochemical and EM study, 63
—, tissues, incorporation of tritium from thymidine into proteins of, radiochemical study, 29
Muscle, cardiac, of frog, contiguities between muscle cells and two types of vesiculated nerve processes, EM study with serial sections, 156
Muscle, heart, of *Daphnia pulex*, ultrastructural characterization of, EM study, 168
—, intersegmental, of cockroach *Periplaneta americana*, structure of fibers in, EM study, 449
—, white skeletal (adductor magnus), of rabbit, localization of two glycolytic dehydrogenases, EM cytochemical study, 113
Myelocytes, heterophilic, of rabbit, mechanism of formation of cytoplasmic granules in, EM radioautographic study, 307

N

Nerve lesions, specific changes at level of presynaptic terminal processes, in superior cervical sympathetic ganglion, of rat, effect of glucose deprivation on ultrastructure and function in vitro, electrophysiological and EM study, 267
—, peripheral, and dorsal root ganglion, of rat and other species, localization of nucleoside phosphatase and cholinesterase activities in, light and EM cytochemical study, 525
— processes, vesiculated, two types of in frog cardiac muscle, contiguities between muscle cells and, EM study with serial sections, 156
Neuromuscular relationships in frog cardiac muscle, contiguities between muscle cells and two types of vesiculated nerve processes, EM study with serial sections, 156
Nuclei, of fixed cells, incorporation of nucleotides into by DNA polymerase, method for detection of priming and/or nonpriming DNA, radioautographic study, 21
Nucleolar sites on polytene chromosomes, mapping of, analysis of chromosomal RNA metabolism, in larval *Sciara coprophila* salivary gland, cytochemical and radioautographic study, 347
Nucleoli, of cultured animal cells, affinity of for normal serum, characterization of serum and cell components, biochemical study, 461
Nucleoside phosphatase and cholinsterase activities, localization of in dorsal root ganglion and peripheral nerve, of rat and other species, light and EM cytochemical study, 525
Nucleotides, incorporation of into nuclei of fixed cells by DNA polymerase, method for detection of priming and/or nonpriming DNA, radioautographic study, 21
Nucleus, of yeast *Saccharomyces*, structure and mode of division of, appearance of intranuclear fiber apparatus, studied by phase-contrast, light, and electron microscopy, 129
—, of yeast *Saccharomyces*, ultrastructure of during division, existence of intranuclear fibers, EM study, 153

O

Olfactory epithelium, of rabbit, method for obtaining cell suspensions from, 554
Osmiophilia, importance of, in production of stable azoindoxyl complexes of high contrast for combined enzyme cytochemistry and electron microscopy, EM cytochemical study, 361

P

Pancreas, exocrine, of embryonic chick, secretion of α-amylase in vitro, development of secretory apparatus, biochemical study, 287
— and parotid, of rat, rapid release of protein from isolated zymogen granules by OsO_4 fixation and its retention during glutaraldehyde fixation, biochemical and EM study, 199
Pigment granules, in eyes of wild type and mutant *Drosophila melanogaster*, development of, fine structural analysis of genetic mutations, EM study, 223
Plant cells, tubular connections between dictyosomes and forming secretory vesicles in Golgi apparatus of, EM study, 373
— cellulose, in cell walls of fibers of cotton and ramie and jute, microcrystalline structure of, as revealed by negative staining of sections, EM study, 181
Plants, fern *Marsilea* and cycad *Zamia*, sperm formation in, centriole replication by fragmentation of blepharoplasts, EM study, 97
Plasma membrane, in rectal papillae of blowfly *Calliphora erythrocephala*, coat of repeating subunits on cytoplasmic surface of, EM study, 376
Plasma-cell tumor, of mouse, in vivo protein synthetic activities of free versus membrane-bound ribonucleoprotein in, biochemical and EM study, 63
Polysomes and ribosomes, isolated from rat liver and hepatomas, properties of, function of intracellular ribonucleases, biochemical study, 387
— and ribosomes, isolated from rat liver and hepatomas, ribonuclease activity in, biochemical study, 395
Pressure (high) effects, analysis of role of microtubules in formation and maintenance of axopodia in *Actinosphaerium nucleofilum* (Heliozoa), EM study, 77
Protein and DNA, chromosomal, temporal relationships between syntheses of, incorporation of thymidine-H^3 and lysine-H^3 into chromosomes of cultured human leukocytes, radioautographic study, 209
—, of zymogen granules isolated from rat parotid and pancreas, rapid release of by OsO_4 fixation and retention of during glutaraldehyde fixation, biochemical and EM study, 199
— synthetic activities (in vivo) of free versus membrane-bound ribonucleoprotein, in mouse plasma-cell tumor, biochemical and EM study, 63
Proteins, incorporation of tritium from thymidine into, of mouse tissues, radiochemical study, 29
Protozoa, *Actinosphaerium nucleofilum*, role of microtubules in formation and maintenance of axopodia in Heliozoa, analysis of effects during and after exposure to high pressures, EM study, 77
—, *Euglena gracilis*, DNA-dependent RNA synthesis in chloroplast of, biochemical study, 174
—, *Euglena gracilis*, synthesis of cytoplasmic DNA in synchronized populations of, analysis of time course by following rate of incorporation of tritiated precursor at different stages of life cycle, biochemical study, 369
—, *Giardia muris*, fine structure of, EM study, 317
Puromycin and Actinomycin D, effects of on mechanism of hormonal induction of alkaline phosphatase in HeLa cell cultures, biochemical study, 1
— aminonucleoside, as inhibitor of RNA synthesis and cell division, in HeLa cells, biochemical study, 411

Q

Quantitative study of mitochondria isolated from rat liver, determination of mitochondrial dry mass and wet mass and volume and concentration of solids, comparison of values obtained by multiple methodological approaches, 507

R

Rabbit, heterophilic myelocytes, mechanism of formation of cytoplasmic granules in, EM radioautographic study, 307
—, olfactory epithelium, method for obtaining cell suspensions from, 554
—, white skeletal muscle (adductor magnus), localization of two glycolytic dehydrogenases, EM cytochemical study, 113
Radiation-stimulated (UV and X-ray) DNA synthesis in mammalian cell cultures, studied by radioautography and density gradient centrifugation, 11
Radioactive label, adenine-H^3, synthesis of cytoplasmic DNA in synchronized populations of *Euglena gracilis*, analysis of time course by following rate of incorporation of labeled precursor at different stages of life cycle, biochemical study, 369
— label, ATP-C^{14}, DNA-dependent RNA synthesis in chloroplasts of protozoa *Euglena gracilis*, biochemical study, 174
— label, leucine-C^{14}, in vivo protein synthetic activities of free versus membrane-bound ribonucleoprotein, in mouse plasma-cell tumor, biochemical and EM study, 63
— label, leucine-C^{14}, uridine-C^{14}, phosphate-P^{32}, mechanism of hormonal induction of alkaline phosphatase in HeLa cell cultures, effects of Actinomycin D and puromycin, biochemical study, 1
— label, lysine-H^3, mechanism of formation of cytoplasmic granules in heterophilic myelocytes, of rabbit, EM radioautographic study, 307
— label, thymidine-H^3 and 5-bromodeoxyuridine-C^{14}, radiation-stimulated (UV and X-ray) DNA synthesis in mammalian cell cultures, studied by radioautography and density gradient centrifugation, 11
— label, thymidine-H^3, incorporation of tritium from thymidine into proteins of mouse tissues, radiochemical study, 29
— label, thymidine-H^3 and lysine-H^3, incorporation into chromosomes of cultured human leukocytes, temporal relationships between syntheses of chromosomal DNA and protein, radioautographic study, 209
— label, thymidine-H^3 and P^{32}, puromycin amino-

nucleoside as inhibitor of RNA synthesis and cell division, in HeLa cells, biochemical study, 411
Radioactive label, tritium-labeled deoxyribonucleoside triphosphates, incorporation of nucleotides into nuclei of fixed cells by DNA polymerase, method for detection of priming and/or nonpriming DNA, radioautographic study, 21
— label, uridine-H^3, mapping of nucleolar sites on polytene chromosomes, analysis of chromosomal RNA metabolism, in larval *Sciara coprophila* salivary gland, cytochemical and radioautographic study, 347
Rat, dorsal root ganglion and peripheral nerve, localization of nucleoside phosphatase and cholinesterase activities in, light and EM cytochemical study, 525
—, liver, active accumulation of strontium ions by membranes of isolated mitochondria, biochemical and EM study, 37
—, liver and hepatomas, properties of ribosome and polysome preparations from, function of intracellular ribonucleases, biochemical study, 387
—, liver and hepatomas, ribonuclease activity in ribosome and polysome preparations from, biochemical study, 395
—, liver, quantitative study of mitochondria isolated from, determination of mitochondrial dry mass and wet mass and volume and concentrations of solids, comparison of values obtained by multiple methodological approaches, 507
—, liver, respiratory activity and maintenance of cell suspensions of in different media, biochemical study, 405
—, mast cells, induction of cellular movements by colchicine treatment, studied by time-lapse cinematography, 176
—, parotid and pancreas, rapid release of protein from isolated zymogen granules by OsO_4 fixation and its retention during glutaraldehyde fixation, biochemical and EM study, 199
—, superior cervical sympathetic ganglion, effect of glucose deprivation on ultrastructure and function in vitro, electrophysiological and EM study, 267
Rectal papillae, of blowfly *Calliphora erythrocephala*, coat of repeating subunits on cytoplasmic surface of apical plasma membrane in, EM study, 376
Replicas of fractured surfaces of frozen cells, simple freeze-fracture replication method for electron microscopy, 435
Respiration and maintenance of cell suspensions in different media, of rat liver, biochemical study, 405
Ribonuclease activity, in ribosome and polysome preparations from rat liver and hepatomas, biochemical study, 395
Ribonucleoprotein, free versus membrane-bound, in vivo protein synthetic activities of in mouse plasma-cell tumor, biochemical and EM study, 63
Ribosomes and polysomes, isolated from rat liver and hepatomas, properties of, function of intracellular ribonucleases, biochemical study, 387
— and polysomes, isolated from rat liver and hepatomas, ribonuclease activity in, biochemical study, 395
RNA metabolism, chromosomal, mapping of nucleolar sites on polytene chromosomes, in larval *Sciara coprophila* salivary gland, cytochemical and radioautographic study, 347
— synthesis and cell division, in HeLa cells, puromycin aminonucleoside as inhibitor of, biochemical study, 411
— synthesis, DNA-dependent, in chloroplasts of protozoa *Euglena gracilis*, biochemical study, 174
Rootlet structures, supporting, of flame cell, of rotifer *Philodina*, fine structure of, EM study, 552
Rotifer, *Philodina*, fine structure of supporting rootlet structures of flame cell of, EM study, 552
—, *Philodina*, fine structure of terminal web region of stomach cell of, EM study, 547

S

Salivary gland, of larval *Sciara coprophila*, mapping of nucleolar sites on polytene chromosomes, analysis of chromosomal RNA metabolism, cytochemical and radioautographic study, 347
Sarcoplasmic reticulum and mitochondria, of white skeletal muscle (adductor magnus), of rabbit, localization of two glycolytic dehydrogenases in, EM cytochemical study, 113
Scale cells, of insect *Ephestia kühniella*, microtubules and microfibrils in morphogenesis of, EM study, 293
Sensory hairs and associated organelles, of cochlear inner hair cell, ultrastructure of, with reference to directional sensitivity, in guinea pig, EM study, 497
Serum, normal, affinity of nucleoli of cultured animal cells for, characterization of serum and cell components, biochemical study, 461
Sperm formation in fern *Marsilea* and cycad *Zamia*, centriole replication by fragmentation of blepharoplasts, EM study, 97
— syncytium, in armored scale insect *Parlatoria oleae*, microtubules in relation to motility of, EM study, 251
Stomach cell, of rotifer *Philodina*, fine structure of terminal web region of, EM study, 547
Strontium ions, active accumulation of by membranes of mitochondria isolated from rat liver, biochemical and EM study, 37
Subunits, repeating, coat of on cytoplasmic surface of apical plasma membrane, in rectal papillae of blowfly *Calliphora erythrocephala*, EM study, 376
Sympathetic ganglion (superior cervical), of rat, effect of glucose deprivation on ultrastructure and function in vitro, electrophysiological and EM study, 267

T

Terminal web region, of stomach cell, of rotifer *Philodina*, fine structure of, EM study, 547
Thymidine, tritium-labeled, incorporation of tritium

from into proteins of mouse tissues, radiochemical study, 29
Tumor, plasma-cell, of mouse, in vivo protein synthetic activities of free versus membrane-bound ribonucleoprotein in, biochemical and EM study, 63

U

UV radiation-stimulated DNA synthesis in mammalian cell cultures, studied by radioautography and density gradient centrifugation, 11

V

Vesicles, secretory (forming), in Golgi apparatus of plant cells, tubular connections between dictyosomes and, EM study, 373
Vesiculated nerve processes, two types of in frog cardiac muscle, contiguities between muscle cells and, EM study with serial sections, 156

Y

Yeast, *Saccharomyces*, structure and mode of division of nucleus of, appearance of intranuclear fiber apparatus, studied by phase-contrast, light, and electron microscopy, 129
—, *Saccharomyces*, ultrastructure of nucleus during division, existence of intranuclear fibers, EM study, 153

Z

Zymogen granules, isolated from rat parotid and pancreas, rapid release of protein from by OsO_4 fixation and its retention during glutaraldehyde fixation, biochemical and EM study, 199

8034